



# TECHNICAL DATA SHEET

## AD-Tec 25 5W-30 C4

1 Litre, 5 Litre, 20 Litre & 199 Litre

### Product Description

AD-TEC 5W-30 C4 is formulated using the very latest advanced additive technology and base oils. Manufactured to meet the latest performance demands of certain Renault vehicles requiring a low SAPs (sulphated ash, phosphorous and sulphur) content. Suitable for engines with diesel particulate filters fitted where this grade and specification is required.

### Recommended for use by AD for the following manufacturer's specifications

ACEA: C4  
MB: 226.51  
Renault: RN0720

### Product Benefits

- \* Ensures lubricant performance over extended drain intervals
- \* Excellent high & low temperature performance
- \* Outstanding fuel efficiency
- \* Effective environmental protection

### Product Usage

For engines where this specification lubricant is required.

### Directions for Use

As recommended by the engine manufacturer.

### Storage Instructions

Store Upright and sealed in a cool dry place, out of the reach of children.

### Shelf Life

5 years from date of manufacture.

**Appearance** : Amber liquid  
**Odour** : Characteristic  
**Solubility** : Insoluble in water



\* Image for illustrative purposes only.

Size	Part No	Barcode
1 Litre	AXD001	5020618202288
5 Litre	AXD005	5020618202295
20 Litre	AXD020	5020618202301
199 Litre	AXD199	5020618203094

Revision: 1 | Date: 27/04/2022



# TECHNICAL DATA SHEET

## AD-Tec 25 5W-30 C4

1 Litre, 5 Litre, 20 Litre & 199 Litre

Percentage of Base Oil : Less Than 80%

Percentage of Biodiesel : Nil

Test	Method	Unit	Min.	Max.	Typical
Viscosity, Kinematic 100°C	ASTM D445	mm <sup>2</sup> /s	9.3	<12.5	12.3
Viscosity, CCS -30°C	ASTM D4684	mPa.s		6600	
Total Base Number	ASTM D2896	mg KOH/g	6		8.5
HTHS Viscosity	ASTM D4683	mPa.s	3.5		
NOACK Volatility	ASTM D5800	%		11	
Viscosity, Kinematic 40°C	ASTM D445	mm <sup>2</sup> /s			72.4
Density	ASTM D792	@ 15°C			0.85

### Safety Precautions

Please see our latest EC Safety Data Sheets for details.

### Transport Classification

Please see our latest EC Safety Data Sheets for details.

Revision: 1 | Date: 27/04/2022