



# TECHNICAL DATA SHEET

## AD-Tec 30 10W/30

20 Litre

### Product Description

AD-Tec 30 10W-30 is a superior mineral engine oil formulated to increase engine protection during cold start up thereby reducing engine wear. AD-Tec 30 10W-30 is a low viscosity engine oil that can help to improve fuel economy and engine cleanliness.

### Recommended for use by AD for the following manufacturer's specifications

ACEA: A2/B2 & E2

API: SL/CF

Ford: WSS-M2C909-A

MB: 229.1

VW: 505.00



\* Image for illustrative purposes only.

| Size     | Part No | Barcode       |
|----------|---------|---------------|
| 20 Litre | ABE020  | 5020618203018 |

### Product Benefits

- \* Ensures lubricant performance
- \* Excellent high & low temperature performance
- \* Suitable for petrol and diesel engines
- \* Outstanding engine cleanliness and sludge control

### Product Usage

For engines where this specification lubricant is required.

### Directions for Use

As recommended by the engine manufacturer.

### Storage Instructions

Keep sealed in a cool, dry place.

### Shelf Life

5 years from date of manufacture.

|            |   |                    |
|------------|---|--------------------|
| Appearance | : | Amber Liquid       |
| Odour      | : | Characteristic     |
| Solubility | : | Insoluble in water |

Revision: 1 | Date: 11/03/2024



# TECHNICAL DATA SHEET

## AD-Tec 30 10W/30

| Test                       | Method     | Unit     | Min. | Max.  | Typical |
|----------------------------|------------|----------|------|-------|---------|
| Viscosity, Kinematic 100°C | ASTM D445  | mm²/s    | 9.3  | <12.5 | 10.9    |
| Viscosity, CCS -25°C       | ASTM D4684 | mPa.s    |      | 7000  |         |
| Total Base Number          | ASTM D2896 | mg KOH/g | 10   |       | 12.12   |
| Pour Point                 | ASTM D97   | °C       |      | -30   | -33     |
| HTHS Viscosity             | ASTM D4683 | mPa.s    | 3.5  |       |         |
| NOACK Volatility           | ASTM D5800 | %        |      | 13    |         |
| Viscosity, Kinematic 40°C  | ASTM D445  | mm²/s    |      |       | 69.24   |
| Density                    | ASTM D792  | @ 15°C   |      |       | 0.869   |
| Viscosity Index            | ASTM D2270 |          |      |       | 147.777 |

### Safety Precautions

Please see our latest EC Safety Data Sheets for details.

### Transport Classification

Please see our latest EC Safety Data Sheets for details.